

---

Single hook

Shower rail with shower head holder

Rail with vertical support bar


Shower curtain rail

Ceiling support





477.90.99010




**HEWI Single hook, high risk product**

- cylindrical right-angled hook with rose fixing
- breaks at a load of about 25 kg
- concealed screw fitting to prevent unauthorised removal
- 45 mm deep, rose  $\varnothing$  50 mm
- made of high-quality polyamide
- never install hooks side by side, because the loads add up

Supplied without screws and plugs.



477.90.99045




**HEWI Coat hook, high risk product**

- cylindrical right-angled hook with rose fixing
- breaks at a load of about 25 kg
- concealed screw fitting to prevent unauthorised removal
- 65 mm deep, rose  $\varnothing$  60 mm
- made of high-quality polyamide
- never install hooks side by side, because the loads add up

Supplied without screws and plugs.



801.33.99120



**HEWI Rail with shower head holder, high risk product**

- vertical rail with 45° angled top and right-angled bottom, with shower head holder and rose fixings
- does not offer any mounting options for ropes and cords at the upper part
- lower fixing point is suitable for mounting below 105 cm height
- shower head holder adjustable to required angle and height
- conical adaptor on shower head holder facilitates accommodation of shower head
- with corrosion resistant steel core
- for wall mounting with special fixing kit and roses from HEWI
- 90 mm deep, rail  $\varnothing$  33 mm, roses  $\varnothing$  70 mm
- made of high-quality polyamide

Supplied with fixing material BM211.


In case of mounting with roses on lightweight partition walls, timber noggins must be installed e.g. laminated wood panels > 20 mm thick.

Softlink  
Item Number

Dimensions in mm / Specification



801.35.99310




#### HEWI Rail with vertical support bar and shower head holder, high risk product

- horizontal and vertical bars joined to form a right angle and fitted with rose fixings, bent upwards at a 45° angle
- with sideways adjustable vertical support bar
- does not offer any mounting options for ropes and cords at the upper part
- shower head holder adjustable to required angle and height
- with corrosion resistant steel core
- for wall mounting with special fixing kit and roses from HEWI
- vertical length 1100 mm, horizontal lengths both 762 mm
- 90 mm deep, ø 33 mm, roses ø 70 mm
- suitable for hanging seat
- made of high-quality polyamide

Supplied with fixing material BM211.

In case of mounting with roses on lightweight partition walls, timber noggins must be installed e.g. laminated wood panels > 20 mm thick.

➤ **O3G5E**



801.34.99400



#### HEWI Shower curtain rail, high risk product

- rail with magnetic rose fixings
- bar drops off at a load of about 25 kg (re-usable)
- with aluminium core
- 1025 mm long with 10 curtain rings (37975), can be shortened on site to 200 mm
- ø 33 mm, roses ø 80 mm
- made of high-quality polyamide

Recommended HEWI standard width (F) 1200 mm.

Supplied with fixing material.



**Softlink**


By entering this code in the Softlink-field on the HEWI Website you receive further product and/or service information.

➔ HEWI Shower curtains **see Programme 2010 Sanitary**

Softlink  
Item Number

Dimensions in mm / Specification

 **O3G5E**



**HEWI Shower curtain rail, high risk product**

- horizontal bars joined to form a right angle and fitted with curtain rings and magnetic rose fixings
- bars drop off at a load of about 25 kg (re-usable)
- with aluminium core
- length at ends can be shortened on site to 220 mm
- $\varnothing$  33 mm, roses  $\varnothing$  80 mm
- made of high-quality polyamide
- ceiling support, high risk version, required

Supplied with fixing material.

**801.34.99100**

**for shower tray 1000 x 1000 mm**

- c to c 997 x 997 mm, with 20 curtain rings (37975)
- recommended HEWI standard width (F) 3000 mm


**801.34.99110**

**for shower tray 1200 x 1200 mm**

- c to c 1197 x 1197 mm, with 24 curtain rings (37975)
- recommended HEWI standard width (F) 3500 mm

HEWI ceiling support, high risk version, to be ordered separately.

 **D2A5E**



**801.34.9902S**

**HEWI Ceiling support, high risk product**

- bar with magnetic rose fixing
- drops off at a load of about 25 kg (re-usable)
- with aluminium core
- fitted to ceiling with rose fixing
- length adjustable by 10 mm and can be shortened at rose by max. 100 mm
- bar  $\varnothing$  33 mm, rose  $\varnothing$  80 mm
- made of high-quality polyamide

Supplied with fixing material.

Special lengths, A = 301 mm - max. 1500 mm.


Please indicate A when ordering.

→ further dimensions and models on request


The shower curtain is available in numerous standard sizes, but can also be individually made to measure. The curtain fabrics are available in seven pleasantly bright design options:

see **Supplementary Catalogue 2011/Sanitary**


### Trevira CS



**802.34.V0..30**  
**802.34.01030**  
pure white,  
fire retardant




**801.34.V0..01**  
**801.34.01001**  
white/silver,  
fire retardant




**801.34.V0..33**  
**801.34.01033**  
coloured squares,  
fire retardant


### Polyester




**801.34.V0..34**  
**801.34.01034**  
pure white



**801.34.V0..35**  
**801.34.01035**  
coloured stripes




**801.34.V0..36**  
**801.34.01036**  
white bubbles



**801.34.V0..37**  
**801.34.01037**  
white squares






**Further documents:**  
[www.hewi.co.uk](http://www.hewi.co.uk)

Supplementary Catalogue  
Sanitary (NEWSSANGB11)

---



Programme 2010 Hardware  
Hardware (PUBBGB10)

---



Brochure Comfort to Care  
(PR288GB)

---



Brochure Accessories | Care  
(PR291D/GB)

---



Brochure Hardware  
(PR292D/GB)

---





[www.hewi.com](http://www.hewi.com)

**Germany**

HEWI Heinrich Wilke GmbH  
Postfach 1260  
34442 Bad Arolsen  
Tel.: +49 5691 82-0  
Fax: +49 5691 82-319  
[international@hewi.com](mailto:international@hewi.com)  
[www.hewi.com](http://www.hewi.com)

**United Kingdom**

HEWI (UK) Limited  
Scimitar Close  
Gillingham Business Park  
Gillingham Kent ME8 0RN  
Phone: +44 (0) 1634 377688  
Fax: +44 (0) 1634 370612  
[info@hewi.co.uk](mailto:info@hewi.co.uk)  
[www.hewi.co.uk](http://www.hewi.co.uk)